

## VERSATILE HAND TRUCKS TO HELP YOU LIGHTEN THE LOAD

Our handtrucks are manufactured according to our high standards of quality and durability. Built tough to make hauling heavy loads easier.

# HAND TRUCKS



### Frame

- Channel steel axle brackets for increased strength and stability
- Steel construction with a black or zinc finish ensures durability and exceptional rust protection



### Ease Of Use

- P-handle for increased maneuverability
- Ergonomically designed to reduce fatigue



### Capabilities

- Chamfered base plate allows you to get under loads easily

### Wheels

- "Real Feel" flat-free wheels for low rolling resistance





## Handtrucks

### TX600L

- 600 lb / 272 kg maximum capacity
- Loop handle
- 1.12 in / 28mm O/D 16 - gauge steel frame
- Height - 43 in / 1092mm
- Width - 23 in / 584mm
- 8 in x 14 in / 203 mm x 356 mm base plate
- 10 in / 254 mm PU wheels
- Powder coated finish




### TX600P

- 600 lb / 272 kg maximum capacity
- P-handle
- 1.12 in / 28mm O/D 16 - gauge steel frame
- Height - 51 in / 1295mm
- Width - 23 in / 584mm
- 8 in x 14 in / 203 mm x 356 mm base plate
- 10 in / 254 mm PU wheels
- Powder coated finish



### TX800P-Z

- 800 lb / 363 kg maximum capacity
- P-handle
- 1.25 in / 32 mm O/D 14 - gauge steel frame
- Height - 51 in / 1295mm
- Width - 23 in / 584mm
- 8 in x 14 in / 203 mm x 356 mm base plate
- 10 in / 254 mm PU wheels
- Zinc finish



### TX1000T

- 1000 lb / 454 kg maximum capacity
- Twin handles
- 1.25 in / 32 mm O/D 14 - gauge steel frame
- Height - 45 in / 1143 mm
- Width - 23 in / 584mm
- 8 in x 14 in / 203 mm x 356 mm base plate
- 10 in / 254 mm PU wheels
- Powder coated finish



### TX1000T-Z

- 1000 lb / 454 kg maximum capacity
- Twin handles
- 1.25 in / 32 mm O/D 14 - gauge steel frame
- Height - 45 in / 1143 mm
- Width - 23 in / 584mm
- 8 in x 14 in / 203 mm x 356 mm base plate
- 10 in / 254 mm PU wheels
- Zinc finish





### TX600C

- 600 lb / 272 kg maximum capacity
- Loop handle
- Convertible
- 1.25 in / 32mm O/D 16 - gauge steel frame
- Height - 50 in / 1270 mm
- Width - 23 in / 584mm
- 8 in x 14 in / 203 mm x 356 mm base plate
- 10 in / 254 mm PU wheels
- Powder coated finish



### TX800TM

- 800 lb / 363 kg maximum capacity
- Twin handle
- 1.19 in / 30 mm O/D 16 - gauge steel frame
- Height - 44 in / 1118 mm
- Width - 23 in / 584mm
- 8 in x 16 in / 203 mm x 406 mm base plate
- 20 in / 508 mm foldable extension rack
- 10 in / 254 mm PU wheels
- Powder coated finish



### TX800C-Z

- 800 lb / 363 kg maximum capacity
- Loop handle
- Convertible
- 1.25 in / 32mm O/D 14 - gauge steel frame
- Height - 50 in / 1270 mm
- Width - 23 in / 584mm
- 8 in x 14 in / 203 mm x 356 mm base plate
- 10 in / 254 mm PU wheels
- Zinc finish



### TUF<sup>®</sup> All-Terrain Hand Truck Wheels

– Engineered for rough environments and versatile performance across paved, gravel, and dirt roads.

